

Spatio-Temporal Data Processing and Visualization in Parallel Using UV-CDAT and ParaView

AMS 2013
Presented By
Aashish Chaudhary
R & D Engineer, Kitware Inc.



Overview


- Spatio-Temporal parallelism with ParaView in **UV-CDAT**
 - Demo movie
 - Demo details and workflow
 - Technical Details
 - Description
 - ParaView integration within **UV-CDAT**

Overview


- **ParaView**
 - Introduction
 - Sources
 - Filters
 - Visualization
 - Client-Server model
 - Python API
 - MoleQueue

Demo

- Implements **UV-CDAT** use case I; High spatial resolution, parallel, image sequence production



Spatio-Temporal Parallelism



Spatio-Temporal Data Processing and Visualization in Parallel



Demo - Workflow

- User creates a visualization
- User then selects
 - Input / Output location
 - Input dataset
 - Queue
- User submits the job
- MoleQueue notifies the user when the job finishes
- User analyzes the output

Performance Metrics

Compartment Size	Number of Processes	Time (seconds)
1	46	1090 ~ 18 mins
1	92	785
1	184	Did Not Complete
2	184	454
2	368	Did Not Complete
4	368	307
8	368	304 ~ 5 mins
16	368	345

- As measured on Jaguar supercomputer
- 363 files (each file is one timestamp)
- Using 23 nodes
- Each timestamp is about ~1.4 GB
- Each node has 32GB
- Each node has 16 cores and two processors

Demo - Tools



- Users **pvserver** (ParaView server)
- Uses **pvbatch**
 - Python interpreter
 - Command line executable specialized for batch processing
- Uses **MoleQueue**

ParaView – Integration

- Tight coupling
 - ParaView within VisTrails workflow
 - Provenance
 - Custom interface for Climate Scientists

ParaView – Integration

- ParaView workflow




Visualization

Workflow

ParaView - Integration

- Provenance



ParaView - Integration

- Supports CDMS variable
- **Custom** representations
 - Easy to create representations
 - Common base class
- ParaView pipeline helper
 - Builds plot pipeline
 - Creates instances of ParaView VisTrails modules

ParaView - Integration

- PVGenericCell
 - Contains view and can handle multiple input representations
- New readers
 - Unstructured POP reader
 - MOC reader
- New filters
 - Project sphere filter

ParaView - Introduction

- An application and framework for the analysis and visualization of massive scientific datasets
- **Provides**
 - **Application** – You don't have to write code to analyze data
 - **Architecture** – Provides a framework to easily extend ParaView and is scalable




Sandia
National
Laboratories



ParaView


- Global seismic wave propagation simulation

(Courtesy: Visualization at the Texas Advanced Computing Center, The University of Texas at Austin by Greg Abram)



- Total perceptible water

(Courtesy: Argonne National Lab, Sandia National Lab)



INCITE Argonne Leadership Computing Facility

Sep 06 06:00

Argonne National Laboratory



 **Kitware**

ParaView - Community

- **Active community**

Subscribers	Total	August 2012 Traffic
VTK users	3654	528
VTK developers	504	188
ParaView users	1098	296


Active Developers	Count
VTK	32
ParaView	11

Data Ingestion

- Over 100 file formats supported
 - Handles structured (uniform rectilinear, non-uniform rectilinear, and curvilinear grids), polygonal, unstructured, tabular, graph, multi-block, AMR and time varying data

ParaView - Pipeline

- User builds a pipeline for data processing and visualization
- Example pipeline








ParaView - Sources

- **Readers**
 - NetCDF POP reader
 - POP unstructured reader
 - POP rectilinear reader
- **Generators**
 - Cone source
 - Sphere source
 - Wavelet source

ParaView - Filters


- Slice
- Contour
- Clip
- Project Sphere



ParaView - Visualization

- **Standalone**
 - For smaller datasets
- **Parallel**
 - For large datasets

ParaView - Components



ParaView – Client Server

- **Data server**
- **Render server**
- Allows ParaView clients to run on variety of platforms
 - Mobile phones
 - Supercomputers

ParaView - Python API


- **Control over the entire pipeline, not just inside one filter**
- Within or without GUI
 - In GUI (Tools->Python Shell)
 - Script and GUI state are Synced
 - tab completion and help browsing
 - Outside (pvpython, pvbatch, or standard python shell with paths)

ParaView - Python API

- Supports batch processing
- Syntax is fully described in online wiki, but trace is a best way to learn it
- Used in UV-CDAT

MoleQueue

- The MoleQueue application provides a graphical, standardized interface that bridges desktop applications with high-performance computing (HPC) resources.
- Support for Sun Grid Engine, Portable Batch System-base queuing systems and the local workstation.
- C++ and Python client libra



Team

- Berk Geveci (PI)
- Aashish Chaudhary
- Andrew Bauer
- Chris Harris
- Dave DeMarle

